

# Apollo Duet

Multifunctional Smart and Safe RF Handle

Light and ergonomic handle (only 100 g)

Multipolar Radio Frequency (RF) for optimal energy scattering

Heat sensor allows maintaining constant dermal matrix of 41-42°C (~106-108°F)

Therapeutic LED light - Wavelength of 630 nm

Automatic shut-off mechanism prevents skin burns

RF

## Multipolar Radio Frequency

Firming and tightening the skin by boosting production of collagen & hyaluronic acid


Radio Frequency (RF) treatments heat the dermal matrix, thus stimulating metabolic processes in the skin and slowing down skin aging:

The connective tissues in the dermis and hypodermis skin layers contain fibroblast cells, which maintain skin structure by constantly generating collagen and other structural protein.

By using electromagnetic energy, the RF technology heats the water in the dermal matrix, which in turn:

- ✓ Causes contraction of existing collagen fibers
- ✓ Induces fibroblast to regenerate collagen and hyaluronic acid.

These two processes result in firmer and tighter skin with better hydration



ITP +

EP

## Electroporation and Iontophoresis

Repairing various skin conditions and preparing skin for cell destruction treatments




HEATING  
Up to 45° C  
/113° F


COOLING  
Up to -20° C  
/-4° F

EP + ITP (combination of electroporation and ionization) is a physical method of introducing substances into the skin cells.

This technology increases electrical conductivity of the cell membrane and modifies lipid structure. Thus, it creates micro-channels for transporting biological substances into the deeper skin layers, to improve skin hydration, cell metabolism and the overall skin functionality.



Electroporation



Creating micro-channels for introducing therapeutic substances

# Apollo Duet

Facial Skincare Beauty System



## Apollo Duet

Advanced Facial Skincare System

Hand piece	EL (Cryo electroporation)	RF (Radio Frequency)
Energy	Intensity: 0~50(1step) Pulse $\pm$ : Max 14Vp-p $\pm$ 15%	Level: 0~6 (1step) Max 60 Vrms $\pm$ 15%
Frequency	5KHz	1MHz
Temperature	Cold : -20℃~20℃, Hot : 30℃~45℃	Smart check
Power Input	100-240V~, 50/60Hz, Max 100VA (24V / 5A)	
Size	Body : 320mm x 330mm x 175m (WxDxH) Handpiece : 3 7 x 165mm (H)	
Weight	Body : 4.9 Kg    Handpiece : 0.1kg	



Manufacturing and R&D  
Office:A605 Suwon Venturevalley II, Korea  
E-mail: weero@weeroweero.com  
web: www.weeroweero.com



Exclusive Europe Distributor and R&D:  
D.B PISGA Smart Marketing LTD  
Offices: Haoman 12 (Miryam house) Hadera, Israel  
Phone: +972-4-6772080 | Fax: +972-4-8513026  
E-mail: info.pisga@gmail.com  
Web Site: www.dbpisga.co.il



## Apollo Duet

Advanced Facial Skincare System

Multipolar RF Technology combined with Electroporation  
and Iontophoresis



Duet

Duet

Duet